



RELATÓRIO SOBRE A AVALIAÇÃO DO EQUIPAMENTO FORNECIDO PELA
EMPRESA ITAUTEC PARA ADJUDICAÇÃO DO ITEM 1 DO PREGÃO
ELETRÔNICO 49/2006 DO TST

A análise do microcomputador, marca ITAUTEC, modelo INFOWAY, fundamenta-se em vistoria detalhada, efetuada no equipamento apresentado pela empresa para homologação.

Foram utilizados os manuais da placa-mãe, em mídia eletrônica, bem como informações obtidas na Internet e o software Sysmark 2004 da BAPCO, para medida de desempenho. Foi utilizado ainda uma versão de avaliação do software HWInfo, para levantar as características do equipamento.

As características identificadas na amostra foram:

CARACTERÍSTICAS TÉCNICAS	ATRIBUTOS
PROCESSADOR	Intel Pentium D, 3.4 GHz, Cache L2 2Mbytes, Índice de 190 para o desempenho medido pelo software BAPCO SYSmark 2004 segundo instruções estipuladas no edital. Teste realizado pelo STPUA - Relatório em anexo (ATENDE)
PLACA-MÃE	GigaByte GA-8I945 GMF (ATENDE)
MEMÓRIA RAM	1 GB (2x512) - DDR2 400 MHz - SDRAM PC 4200 - dual channel ativado (ATENDE) Expansível a 4 GB (ATENDE)
FLASH BIOS	Award Modular BIOS (05/06/2006) (ATENDE)
UNIDADES DE DISCO	2 discos modelo WESTERN DIGITAL WD800JD, 80 GB - Serial ATA II (ATENDE)
UNIDADE DE CD-ROM	LITE-ON LTN-5291S - velocidade de 52X (ATENDE)
INTERFACE DE REDE	Marvell/Galileo Yukon 88E8053 PCI-E Gigabit Ethernet - (ATENDE)
INTERFACES (ATENDE)	Seis interfaces USB 2.0 (2 no painel frontal) paralela padrão CENTRONICS - ECP/EPP serial padrão RS-232-C, com chipset UART 16550
CONTROLADORA DE VÍDEO	Intel GMA 950 - PCI Express, 128 MB de memória DDR SDRAM e resolução de 1600 X 1200 @ 75 Hz - (ATENDE)
CONTROLADORA DE ÁUDIO	Intel 82801GB ICH7-AC'97 (ATENDE)
TECLADO EM PORTUGUÊS	padrão ABNT2; preto (ATENDE)
MOUSE ÓPTICO	interface de conexão USB; cor preta (ATENDE)



CARACTERÍSTICAS TÉCNICAS	ATRIBUTOS
GABINETE	com espessura e volume de 13,5 cm e 19649,25 cm ³ respectivamente (ATENDE)
	fonte de alimentação - entrada de 110 e 220 VAC (ATENDE)
	reversível para desktop ou mini-torre cor preta e cinza
SISTEMA OPERACIONAL PRÉ INSTALADO	Windows XP Professional em Português (ATENDE)

Realizado o teste de benchmark pelos técnicos do STPUA, conforme as instruções estipuladas no edital, obteve-se o índice 190, superior ao exigido. O relatório obtido pelo software Sysmark 2004 é apresentado em anexo.

Diante do exposto opino pela conformidade do equipamento ofertado pela empresa ITAUTEC com as exigências do edital.

Em 07 de agosto de 2005.

JOSÉ HENRIQUE RODRIGUES FILHO
Assistente 5



Assunto: Homologação ITAUTEC - Resultado

De: Alexandre Carvalho <alexandre.carvalho@tst.gov.br>

Data: Mon, 07 Aug 2006 11:35:33 -0300

Para: SRPP - Lista de Funcionarios <lista-srpp@svlx014.tst.gov.br>

CC: stpua - Lista de Funcionarios <lista-stpua@svlx014.tst.gov.br>

Segue resultado dos testes efetuados pelo STPUA.

Em anexo!

at+

--



SYSmark 2004 Report (Unofficial)

Personal Information

Contact stpua
Benchmark Run Date: Friday, August, 04, 2006

SYSmark® 2004 Rating N/A
Office Productivity Overall 190
Office Productivity Communication 150
Office Productivity Document Creation 223
Office Productivity Data Analysis 206


Workload Run Times and Ratings

Run	Scenario	Group	Rating
1	Office Productivity	Overall	189
1		Communication	148
1		Document Creation	222
1		Data Analysis	206
2	Office Productivity	Overall	191
2		Communication	150
2		Document Creation	224
2		Data Analysis	206
3	Office Productivity	Overall	191
3		Communication	152
3		Document Creation	224
3		Data Analysis	206
4	Office Productivity	Overall	190
4		Communication	150
4		Document Creation	223
4		Data Analysis	206

Operating System Information

Name Microsoft Windows XP Service
Version 5.1
Build 2600
Type Multiprocessor Free
Page File(s) C:\pagefile.sys, Min: 2048 M
Path C:\WINDOWS
Windows Subsystem %SystemRoot%\system32\csrss.
ObjectDirectory=\Windows

SharedSection=1024,3072,512
 Windows=On
 SubSystemType=Windows
 ServerDll=basesrv,1
 ServerDll=winsrv:UserServerDllInitialization,3
 ServerDll=winsrv:ConServerDllInitialization,2
 ProfileControl=Off
 MaxRequestThreads=16



HAL ACPI 1.0 - APIC platform MP

System Information

System Name TESTE
 System Manufacturer AT/AT COMPATIBLE
 CPU Genuine Intel(R) CPU 3.40GHz
 Number of CPUs 2
 CPU Frequency 3391
 L2-Cache 0 KB
 Other Cache (ex. L3) Num. of Caches: 0
 RAM 1015 MB
 Benchmark version SYSMARK® 2004 with Patch 2

Video Card

Video Memory Intel(R) 82945G Express Chip
 Resolution 128 MB
 1024 x 768 x 32

Hard Drive

Installed Printers

Printer: BAPCo_PRINTER_1 (Port: NUL, Driver: Epson Stylus COLOR 900 ESC/
 Printer: Acrobat PDFWriter (Port: LPT1:, Driver: Acrobat PDFWriter)
 Printer: Acrobat Distiller (Port: C:\Documents and Settings\All Users\Deskt

Network Information

Card: Adaptador de rede 1394; Driver: ; Service: {06795BDD-C74E-48C7-9A98-40
 Card: Generic Marvell Yukon Chipset based Gigabit Ethernet Controller; Drive
 Network Provider Order RDPNP,LanmanWorkstation,WebC

Running Services

ACPI (Type: SERVICE_KERNEL_DRIVER)
 AFD (Type: SERVICE_KERNEL_DRIVER)
 Arp1394 (Type: SERVICE_KERNEL_DRIVER)
 atapi (Type: SERVICE_KERNEL_DRIVER)
 AudioSrv (Type: SERVICE_WIN32_SHARE_PROCESS)
 audstub (Type: SERVICE_KERNEL_DRIVER)
 AvSynMgr (Type: Unknown)
 Beep (Type: SERVICE_KERNEL_DRIVER)
 Browser (Type: SERVICE_WIN32_SHARE_PROCESS)
 CdFs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Cdrom (Type: SERVICE_KERNEL_DRIVER)
 CryptSvc (Type: SERVICE_WIN32_SHARE_PROCESS)
 Dhcp (Type: SERVICE_WIN32_SHARE_PROCESS)
 Disk (Type: SERVICE_KERNEL_DRIVER)
 dmio (Type: SERVICE_KERNEL_DRIVER)
 dmload (Type: SERVICE_KERNEL_DRIVER)
 dmserver (Type: SERVICE_WIN32_SHARE_PROCESS)
 Dnscache (Type: SERVICE_WIN32_SHARE_PROCESS)
 ERSvc (Type: SERVICE_WIN32_SHARE_PROCESS)
 Eventlog (Type: SERVICE_WIN32_SHARE_PROCESS)
 EventSystem (Type: SERVICE_WIN32_SHARE_PROCESS)
 FastUserSwitchingCompatibility (Type: SERVICE_WIN32_SHARE_PROCESS)
 Fdc (Type: SERVICE_KERNEL_DRIVER)
 Fips (Type: SERVICE_KERNEL_DRIVER)
 Flpydisk (Type: SERVICE_KERNEL_DRIVER)
 Ftdisk (Type: SERVICE_KERNEL_DRIVER)
 Gpc (Type: SERVICE_KERNEL_DRIVER)
 helpsvc (Type: SERVICE_WIN32_SHARE_PROCESS)
 i8042prt (Type: SERVICE_KERNEL_DRIVER)
 ialm (Type: SERVICE_KERNEL_DRIVER)
 IPsec (Type: SERVICE_KERNEL_DRIVER)
 isapnp (Type: SERVICE_KERNEL_DRIVER)
 Kbdclass (Type: SERVICE_KERNEL_DRIVER)



KSecDD (Type: SERVICE_KERNEL_DRIVER)
 lanmanserver (Type: SERVICE_WIN32_SHARE_PROCESS)
 lanmanworkstation (Type: SERVICE_WIN32_SHARE_PROCESS)
 LmHosts (Type: SERVICE_WIN32_SHARE_PROCESS)
 Messenger (Type: SERVICE_WIN32_SHARE_PROCESS)
 mnmdd (Type: SERVICE_KERNEL_DRIVER)
 Mouclass (Type: SERVICE_KERNEL_DRIVER)
 MountMgr (Type: SERVICE_KERNEL_DRIVER)
 MRxDAV (Type: SERVICE_FILE_SYSTEM_DRIVER)
 MRxSmb (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Msfs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Mup (Type: SERVICE_FILE_SYSTEM_DRIVER)
 NDIS (Type: SERVICE_KERNEL_DRIVER)
 NdisTapi (Type: SERVICE_KERNEL_DRIVER)
 Ndisuio (Type: SERVICE_KERNEL_DRIVER)
 Ndiswan (Type: SERVICE_KERNEL_DRIVER)
 NDProxy (Type: SERVICE_KERNEL_DRIVER)
 NetBIOS (Type: SERVICE_FILE_SYSTEM_DRIVER)
 NetBT (Type: SERVICE_KERNEL_DRIVER)
 Netman (Type: Unknown)
 NIC1394 (Type: SERVICE_KERNEL_DRIVER)
 Nla (Type: SERVICE_WIN32_SHARE_PROCESS)
 Npfs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Ntfs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Null (Type: SERVICE_KERNEL_DRIVER)
 ohci1394 (Type: SERVICE_KERNEL_DRIVER)
 Parport (Type: SERVICE_KERNEL_DRIVER)
 PartMgr (Type: SERVICE_KERNEL_DRIVER)
 ParVdm (Type: SERVICE_KERNEL_DRIVER)
 PCI (Type: SERVICE_KERNEL_DRIVER)
 PCIide (Type: SERVICE_KERNEL_DRIVER)
 PlugPlay (Type: SERVICE_WIN32_SHARE_PROCESS)
 PolicyAgent (Type: SERVICE_WIN32_SHARE_PROCESS)
 PptpMiniport (Type: SERVICE_KERNEL_DRIVER)
 Processor (Type: SERVICE_KERNEL_DRIVER)
 ProtectedStorage (Type: Unknown)
 PSched (Type: SERVICE_KERNEL_DRIVER)
 Ptilink (Type: SERVICE_KERNEL_DRIVER)
 RasAcad (Type: SERVICE_KERNEL_DRIVER)
 Rasl2tp (Type: SERVICE_KERNEL_DRIVER)
 RasPppoe (Type: SERVICE_KERNEL_DRIVER)
 Raspti (Type: SERVICE_KERNEL_DRIVER)
 Rdbss (Type: SERVICE_FILE_SYSTEM_DRIVER)
 RDPCDD (Type: SERVICE_KERNEL_DRIVER)
 rdprdr (Type: SERVICE_KERNEL_DRIVER)
 redbook (Type: SERVICE_KERNEL_DRIVER)
 RemoteRegistry (Type: SERVICE_WIN32_SHARE_PROCESS)
 RpcSs (Type: SERVICE_WIN32_SHARE_PROCESS)
 SamSs (Type: SERVICE_WIN32_SHARE_PROCESS)
 Schedule (Type: Unknown)
 seclogon (Type: Unknown)
 SENS (Type: SERVICE_WIN32_SHARE_PROCESS)
 serenum (Type: SERVICE_KERNEL_DRIVER)
 Serial (Type: SERVICE_KERNEL_DRIVER)
 ShellHWDetection (Type: SERVICE_WIN32_SHARE_PROCESS)
 SI3112r (Type: SERVICE_KERNEL_DRIVER)
 SiFilter (Type: SERVICE_KERNEL_DRIVER)
 SiRemFil (Type: SERVICE_KERNEL_DRIVER)
 SiWinAcc (Type: SERVICE_KERNEL_DRIVER)
 Spooler (Type: Unknown)
 sr (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Srv (Type: SERVICE_FILE_SYSTEM_DRIVER)
 SSDPSRV (Type: SERVICE_WIN32_SHARE_PROCESS)
 swenum (Type: SERVICE_KERNEL_DRIVER)
 Tcpip (Type: SERVICE_KERNEL_DRIVER)
 TermDD (Type: SERVICE_KERNEL_DRIVER)
 TermService (Type: SERVICE_WIN32_SHARE_PROCESS)
 Themes (Type: SERVICE_WIN32_SHARE_PROCESS)
 TrkWks (Type: SERVICE_WIN32_SHARE_PROCESS)
 Update (Type: SERVICE_KERNEL_DRIVER)
 uploadmgr (Type: SERVICE_WIN32_SHARE_PROCESS)

usbehci (Type: SERVICE_KERNEL_DRIVER)
usbhub (Type: SERVICE_KERNEL_DRIVER)
usbuhci (Type: SERVICE_KERNEL_DRIVER)
VgaSave (Type: SERVICE_KERNEL_DRIVER)
VolSnap (Type: SERVICE_KERNEL_DRIVER)
W32Time (Type: SERVICE_WIN32_SHARE_PROCESS)
Wanarp (Type: SERVICE_KERNEL_DRIVER)
WebClient (Type: SERVICE_WIN32_SHARE_PROCESS)
winmgmt (Type: SERVICE_WIN32_SHARE_PROCESS)
WmdmPmSp (Type: SERVICE_WIN32_SHARE_PROCESS)
wuaserv (Type: SERVICE_WIN32_SHARE_PROCESS)
WZCSVC (Type: SERVICE_WIN32_SHARE_PROCESS)
yukonwpx (Type: SERVICE_KERNEL_DRIVER)

Sen
320
Jk

Itautec.txt	Content-Type: text/plain Content-Encoding: 8bit
-------------	--



RELATÓRIO SOBRE A AVALIAÇÃO DO EQUIPAMENTO FORNECIDO PELA EMPRESA PROAD PARA ADJUDICAÇÃO DO ITEM 2 DO PREGÃO ELETRÔNICO 49/2006 DO TST

A análise do microcomputador, marca HP, modelo HP BUSINESS DX5150, fundamenta-se em vistoria detalhada, efetuada no equipamento apresentado pela empresa para homologação.

Foram utilizados os manuais da placa-mãe, em mídia eletrônica, bem como informações obtidas na Internet e o software Sysmark 2004 da BAPCO, para medida de desempenho. Foi utilizado ainda uma versão de avaliação do software HWInfo, para levantar as características do equipamento.

As características identificadas na amostra foram:

CARACTERÍSTICAS TÉCNICAS	ATRIBUTOS
PROCESSADOR	Intel AMD Athlon 64 X2 Dual Core 3800+, 2 GHz, Cache L2 2 x 2Mbytes, Índice de 161 para o desempenho medido pelo software BAPCO SYMark 2004 segundo instruções estipuladas no edital. Teste realizado pelo STPUA - Relatório em anexo (NÃO ATENDE)
PLACA-MÃE	MSI OSAC (ATENDE)
MEMÓRIA RAM	1 GB (2x512) - DDR2 400 MHz - SDRAM PC 4200 - dual channel ativado (ATENDE) Expansível a 4 GB (ATENDE)
FLASH BIOS	Phoenix Technologies (13/04/2006) (ATENDE)
UNIDADES DE DISCO	1 disco modelo SEAGATE ST3160828AS, 160 GB - Serial ATA II 1 disco modelo WESTERN DIGITAL WD800JD, 80 GB - Serial ATA II (ATENDE)
UNIDADE DE CD-ROM	HL-DT-STDVDRRW GCA-4166B - velocidade de 52X (ATENDE)
INTERFACE DE REDE	Broadcom NetXtreme Gigabit - Gigabit Ethernet - (ATENDE)
INTERFACES (ATENDE)	Seis interfaces USB 2.0 (2 no painel frontal) paralela padrão CENTRONICS - ECP/EPP serial padrão RS-232-C, com chipset UART 16550
CONTROLADORA DE VÍDEO	ATI Radeon Xpress 200G PCI Express, 128 MB de memória DDR SDRAM e resolução de 1600 X 1200 @ 75 Hz - (ATENDE)
CONTROLADORA DE ÁUDIO	ATI SB400 AC'97 (ATENDE)
TECLADO EM PORTUGUÊS	padrão ABNT2; preto (ATENDE)



CARACTERÍSTICAS TÉCNICAS	ATRIBUTOS
MOUSE ÓPTICO	interface de conexão USB; cor preta e prata (ATENDE)
GABINETE	com espessura e volume de 17,5 cm e 26223,75 cm ³ respectivamente (ATENDE)
	fonte de alimentação - entrada de 110 e 220 VAC (ATENDE)
	reversível para desktop ou mini-torre cor preta e prata
SISTEMA OPERACIONAL PRÉ INSTALADO	Windows XP Professional em Português (ATENDE)

Realizado o teste de benchmark pelos técnicos do STPUA, conforme as instruções estipuladas no edital, obteve-se o índice 161, inferior ao exigido. O relatório obtido pelo software Sysmark 2004 é apresentado em anexo.

Diante do exposto opino pela não conformidade do equipamento ofertado pela empresa PROAD com as exigências do edital.

Em 07 de agosto de 2005.

JOSÉ HENRIQUE RODRIGUES FILHO
Assistente 5

Assunto: Homologação HP - Resultado

De: Alexandre Carvalho <alexandre.carvalho@tst.gov.br>

Data: Thu, 03 Aug 2006 16:58:46 -0300

Para: SRPP - Lista de Funcionarios <lista-srpp@svlx014.tst.gov.br>

CC: stpua - Lista de Funcionarios <lista-stpua@svlx014.tst.gov.br>

Segue resultado dos testes efetuados pelo STPUA.

Em anexo!

at+

--



SYSmark 2004 Report (Unofficial)

Personal Information

Contact TESTE
Benchmark Run Date: Wednesday, August, 02, 2006


SYSmark® 2004 Rating N/A
Office Productivity Overall 161
Office Productivity Communication 143
Office Productivity Document Creation 194
Office Productivity Data Analysis 151

Workload Run Times and Ratings

Run	Scenario	Group	Rating
1	Office Productivity	Overall	160
1		Communication	142
1		Document Creation	192
1		Data Analysis	151
2	Office Productivity	Overall	161
2		Communication	143
2		Document Creation	195
2		Data Analysis	151
3	Office Productivity	Overall	161
3		Communication	143
3		Document Creation	195
3		Data Analysis	151

Operating System Information

Name Microsoft Windows XP Service
Version 5.1
Build 2600
Type Multiprocessor Free
Page File(s) C:\pagefile.sys, Min: 2048 M
Path C:\WINDOWS
Windows Subsystem %SystemRoot%\system32\csrss.
ObjectDirectory=\Windows
SharedSection=1024,3072,512
Windows=On
SubSystemType=Windows
ServerDll=basesrv,1



ServerDll=winsrv:UserServerDllInitialization,3
 ServerDll=winsrv:ConServerDllInitialization,2
 ProfileControl=Off
 MaxRequestThreads=16

HAL

ACPI 1.0 - APIC platform MP

System Information

System Name TST-6EJ5X4BDX6Z
 System Manufacturer AT/AT COMPATIBLE
 CPU AMD Athlon(tm) 64 X2 Dual Co
 Number of CPUs 2
 CPU Frequency 1994
 L2-Cache 512 KB
 Other Cache (ex. L3) Num. of Caches: 2
 RAM 958 MB
 Benchmark version SYSmark® 2004 with Patch 2

Video Card

ATI RADEON XPRESS 200 Series
 Video Memory 64 MB
 Resolution 1024 x 768 x 32

Hard Drive

Installed Printers

Printer: __BAPCo_PRINTER_1 (Port: NUL, Driver: Epson Stylus COLOR 900 ESC/
 Printer: Acrobat PDFWriter (Port: LPT1:, Driver: Acrobat PDFWriter)
 Printer: Acrobat Distiller (Port: C:\Documents and Settings\All Users\Deskt

Network Information

Card: Broadcom NetXtreme Gigabit Ethernet; Driver: ; Service: {75BF140B-7E46
 Network Provider Order RDPNP,LanmanWorkstation,WebC

Running Services

ACPI (Type: SERVICE_KERNEL_DRIVER)
 aec (Type: SERVICE_KERNEL_DRIVER)
 AFD (Type: SERVICE_KERNEL_DRIVER)
 ALCXWDM (Type: SERVICE_KERNEL_DRIVER)
 atapi (Type: SERVICE_KERNEL_DRIVER)
 Ati HotKey Poller (Type: Unknown)
 ati2mtag (Type: SERVICE_KERNEL_DRIVER)
 AudioSrv (Type: SERVICE_WIN32_SHARE_PROCESS)
 audstub (Type: SERVICE_KERNEL_DRIVER)
 AvSynMgr (Type: Unknown)
 b57w2k (Type: SERVICE_KERNEL_DRIVER)
 Beep (Type: SERVICE_KERNEL_DRIVER)
 Browser (Type: SERVICE_WIN32_SHARE_PROCESS)
 CdFs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Cdrom (Type: SERVICE_KERNEL_DRIVER)
 CryptSvc (Type: SERVICE_WIN32_SHARE_PROCESS)
 Dhcp (Type: SERVICE_WIN32_SHARE_PROCESS)
 Disk (Type: SERVICE_KERNEL_DRIVER)
 dmio (Type: SERVICE_KERNEL_DRIVER)
 dmload (Type: SERVICE_KERNEL_DRIVER)
 dmserver (Type: SERVICE_WIN32_SHARE_PROCESS)
 DMusic (Type: SERVICE_KERNEL_DRIVER)
 Dnscache (Type: SERVICE_WIN32_SHARE_PROCESS)
 drmkaud (Type: SERVICE_KERNEL_DRIVER)
 ERSvc (Type: SERVICE_WIN32_SHARE_PROCESS)
 Eventlog (Type: SERVICE_WIN32_SHARE_PROCESS)
 EventSystem (Type: SERVICE_WIN32_SHARE_PROCESS)
 FastUserSwitchingCompatibility (Type: SERVICE_WIN32_SHARE_PROCESS)
 Fdc (Type: SERVICE_KERNEL_DRIVER)
 Fips (Type: SERVICE_KERNEL_DRIVER)
 Flpydisk (Type: SERVICE_KERNEL_DRIVER)
 Ftdisk (Type: SERVICE_KERNEL_DRIVER)
 Gpc (Type: SERVICE_KERNEL_DRIVER)
 helpsvc (Type: SERVICE_WIN32_SHARE_PROCESS)
 i8042prt (Type: SERVICE_KERNEL_DRIVER)
 Imapi (Type: SERVICE_KERNEL_DRIVER)
 IPsec (Type: SERVICE_KERNEL_DRIVER)
 isapnp (Type: SERVICE_KERNEL_DRIVER)

Kbdclass (Type: SERVICE_KERNEL_DRIVER)
 kmixer (Type: SERVICE_KERNEL_DRIVER)
 KSecDD (Type: SERVICE_KERNEL_DRIVER)
 lanmanserver (Type: SERVICE_WIN32_SHARE_PROCESS)
 lanmanworkstation (Type: SERVICE_WIN32_SHARE_PROCESS)
 LmHosts (Type: SERVICE_WIN32_SHARE_PROCESS)
 Messenger (Type: SERVICE_WIN32_SHARE_PROCESS)
 mnmd (Type: SERVICE_KERNEL_DRIVER)
 Mouclass (Type: SERVICE_KERNEL_DRIVER)
 MountMgr (Type: SERVICE_KERNEL_DRIVER)
 MRxDAV (Type: SERVICE_FILE_SYSTEM_DRIVER)
 MRxSmb (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Msfs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Mup (Type: SERVICE_FILE_SYSTEM_DRIVER)
 NDIS (Type: SERVICE_KERNEL_DRIVER)
 NdisTapi (Type: SERVICE_KERNEL_DRIVER)
 Ndisuio (Type: SERVICE_KERNEL_DRIVER)
 Ndiswan (Type: SERVICE_KERNEL_DRIVER)
 NDProxy (Type: SERVICE_KERNEL_DRIVER)
 NetBIOS (Type: SERVICE_FILE_SYSTEM_DRIVER)
 NetBT (Type: SERVICE_KERNEL_DRIVER)
 Netman (Type: Unknown)
 Nla (Type: SERVICE_WIN32_SHARE_PROCESS)
 Npfs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Ntfs (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Null (Type: SERVICE_KERNEL_DRIVER)
 Parport (Type: SERVICE_KERNEL_DRIVER)
 PartMgr (Type: SERVICE_KERNEL_DRIVER)
 ParVdm (Type: SERVICE_KERNEL_DRIVER)
 PCI (Type: SERVICE_KERNEL_DRIVER)
 PCIide (Type: SERVICE_KERNEL_DRIVER)
 PlugPlay (Type: SERVICE_WIN32_SHARE_PROCESS)
 PolicyAgent (Type: SERVICE_WIN32_SHARE_PROCESS)
 PptpMiniport (Type: SERVICE_KERNEL_DRIVER)
 Processor (Type: SERVICE_KERNEL_DRIVER)
 ProtectedStorage (Type: Unknown)
 PSched (Type: SERVICE_KERNEL_DRIVER)
 Ptilink (Type: SERVICE_KERNEL_DRIVER)
 RasAcid (Type: SERVICE_KERNEL_DRIVER)
 Rasl2tp (Type: SERVICE_KERNEL_DRIVER)
 RasPppoe (Type: SERVICE_KERNEL_DRIVER)
 Raspti (Type: SERVICE_KERNEL_DRIVER)
 Rdbss (Type: SERVICE_FILE_SYSTEM_DRIVER)
 RDPcDD (Type: SERVICE_KERNEL_DRIVER)
 rdpdr (Type: SERVICE_KERNEL_DRIVER)
 redbook (Type: SERVICE_KERNEL_DRIVER)
 RemoteRegistry (Type: SERVICE_WIN32_SHARE_PROCESS)
 RpcSs (Type: SERVICE_WIN32_SHARE_PROCESS)
 SamSs (Type: SERVICE_WIN32_SHARE_PROCESS)
 Schedule (Type: Unknown)
 seclogon (Type: Unknown)
 SENS (Type: SERVICE_WIN32_SHARE_PROCESS)
 serenum (Type: SERVICE_KERNEL_DRIVER)
 Serial (Type: SERVICE_KERNEL_DRIVER)
 ShellHWDetection (Type: SERVICE_WIN32_SHARE_PROCESS)
 splitter (Type: SERVICE_KERNEL_DRIVER)
 Spooler (Type: Unknown)
 sr (Type: SERVICE_FILE_SYSTEM_DRIVER)
 Srv (Type: SERVICE_FILE_SYSTEM_DRIVER)
 SSDPSRV (Type: SERVICE_WIN32_SHARE_PROCESS)
 swenum (Type: SERVICE_KERNEL_DRIVER)
 swmidi (Type: SERVICE_KERNEL_DRIVER)
 sysaudio (Type: SERVICE_KERNEL_DRIVER)
 Tcpip (Type: SERVICE_KERNEL_DRIVER)
 TermDD (Type: SERVICE_KERNEL_DRIVER)
 TermService (Type: SERVICE_WIN32_SHARE_PROCESS)
 Themes (Type: SERVICE_WIN32_SHARE_PROCESS)
 TrkWks (Type: SERVICE_WIN32_SHARE_PROCESS)
 Update (Type: SERVICE_KERNEL_DRIVER)
 uploadmgr (Type: SERVICE_WIN32_SHARE_PROCESS)
 usbehci (Type: SERVICE_KERNEL_DRIVER)

326
9/10
© 2000

usbhub (Type: SERVICE_KERNEL_DRIVER)
usbhcci (Type: SERVICE_KERNEL_DRIVER)
VgaSave (Type: SERVICE_KERNEL_DRIVER)
VolSnap (Type: SERVICE_KERNEL_DRIVER)
W32Time (Type: SERVICE_WIN32_SHARE_PROCESS)
Wanarp (Type: SERVICE_KERNEL_DRIVER)
wdmaud (Type: SERVICE_KERNEL_DRIVER)
WebClient (Type: SERVICE_WIN32_SHARE_PROCESS)
winmgmt (Type: SERVICE_WIN32_SHARE_PROCESS)
WmdmPmSp (Type: SERVICE_WIN32_SHARE_PROCESS)
wuauser (Type: SERVICE_WIN32_SHARE_PROCESS)
WZCSVC (Type: SERVICE_WIN32_SHARE_PROCESS)

HP.txt	Content-Type: text/plain Content-Encoding: 8bit
---------------	--

HP.doc	Content-Type: application/msword Content-Encoding: base64
---------------	--



Processo Administrativo TST n.º 17.998/2006.9

Senhor Diretor do SRLCA,

Encaminho os relatórios (folhas 315 a 326) sobre as avaliações das amostras para adjudicação dos itens 1 e 2 do Pregão Eletrônico n.º 49/2006.

Concluimos pela conformidade do equipamento fornecido pela empresa ITAUTEC, referente ao item 1 do referido pregão, e propomos a sua adjudicação.

Quanto ao equipamento ofertado pela empresa PROAD, referente ao item 2, concluimos pela sua não conformidade, por não atingir o índice exigido no teste de desempenho definido pelo edital.

Dessa forma, submeto à apreciação de V.S.^a e solicito prosseguimento.

Em 8 de agosto de 2006.

Luiz Antônio Mendes Garcia
Diretor do Serviço de Planejamento e Projetos
Seprod/TST

Benevenuto
Benevenuto
Estagiário

Recebi no SRLCA às 17:30
do dia 08 / 08 / 2006